

	Type	Hits	Search Text	DBs
1	BRS	242	(steel adj cord) and 428/\$	USPAT
2	BRS	345	57/200	USPAT
3	BRS	629	57/210	USPAT
4	BRS	540	57/210 not 57/200	USPAT
5	BRS	240	(57/210 not 57/200) and (metal or steel or metallic)	USPAT
6	BRS	238	57/211	USPAT
7	BRS	192	57/211 not ((57/210 not 57/200) and (metal or steel or metallic))	USPAT
8	BRS	170	(57/211 not ((57/210 not 57/200) and (metal or steel or metallic))) not 57/200	USPAT
9	BRS	140	((57/211 not ((57/210 not 57/200) and (metal or steel or metallic))) not 57/200) not 57/210	USPAT
10	BRS	401	57/212	USPAT
11	BRS	327	57/212 not 57/200	USPAT
12	BRS	243	(57/212 not 57/200) not 57/210	USPAT
13	BRS	234	((57/212 not 57/200) not 57/210) not 57/211	USPAT
14	BRS	259	57/213	USPAT
15	BRS	217	57/213 not 57/200	USPAT
16	BRS	168	(57/213 not 57/200) not 57/210	USPAT
17	BRS	78	((57/213 not 57/200) not 57/210) not 57/212	USPAT
18	BRS	152	57/214	USPAT
19	BRS	123	57/214 not 57/200	USPAT
20	BRS	105	(57/214 not 57/200) not 57/210	USPAT
21	BRS	74	((57/214 not 57/200) not 57/210) not 57/213	USPAT
22	BRS	194	57/217	USPAT
23	BRS	170	57/217 not 57/200	USPAT

	Type	Hits	Search Text	DBs
24	BRS	142	(57/217 not 57/200) not 57/210	USPAT
25	BRS	118	((57/217 not 57/200) not 57/210) not 57/214	USPAT
26	BRS	154	57/218	USPAT
27	BRS	125	57/218 not 57/200	USPAT
28	BRS	99	(57/218 not 57/200) not 57/210	USPAT
29	BRS	82	((57/218 not 57/200) not 57/210) not 57/217	USPAT
30	BRS	241	57/230	USPAT
31	BRS	221	57/230 not 57/200	USPAT
32	BRS	132	(57/230 not 57/200) not 57/210	USPAT
33	BRS	115	57/231	USPAT
34	BRS	95	57/231 not 57/200	USPAT
35	BRS	52	(57/231 not 57/200) not 57/210	USPAT
36	BRS	38	((57/231 not 57/200) not 57/210) not 57/230	USPAT
37	BRS	254	57/236	USPAT
38	BRS	201	57/236 not 57/200	USPAT
39	BRS	170	(57/236 not 57/200) not 57/210	USPAT
40	BRS	164	((57/236 not 57/200) not 57/210) not 57/231	USPAT
41	BRS	613	57/902	USPAT
42	BRS	538	57/902 not 57/200	USPAT
43	BRS	465	(57/902 not 57/200) not 57/210	USPAT
44	BRS	269	((57/902 not 57/200) not 57/210) and (metal or steel or metallic)	USPAT
45	BRS	541	152/451	USPAT
46	BRS	274	152/451 not 57/902	USPAT
47	BRS	135	(152/451 not 57/902) and (metal or steel or metallic)	USPAT
48	BRS	674	152/527	USPAT

	Type	Hits	Search Text	DBs
49	BRS	557	152/527 and (metal or metallic or steel)	USPAT
50	BRS	549	152/556	USPAT
51	BRS	349	152/556 not 152/451	USPAT
52	BRS	169	(152/556 not 152/451) and (metal or metallic or steel)	USPAT
53	BRS	54	152/451	EPO; JPO; DERWENT
54	BRS	211	57/902	EPO; JPO; DERWENT
55	BRS	263	152/451 or 57/902	EPO; JPO; DERWENT
56	BRS	4377	(tire or tyre) and cord and (steel or metal\$3)	EPO; JPO; DERWENT
57	BRS	4316	((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)	EPO; JPO; DERWENT
58	BRS	3015	((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord)))	EPO; JPO; DERWENT
59	BRS	1096	((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath)	EPO; JPO; DERWENT
60	BRS	2219	(((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath)))	EPO; JPO; DERWENT
61	BRS	1340	((((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))) and (carcass or belt)	EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
62	BRS	291	(((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))) and filament	EPO; JPO; DERWENT
63	BRS	0	(((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))) and (core and sheath)	EPO; JPO; DERWENT
64	BRS	289	((((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath)) and core and sheath	EPO; JPO; DERWENT
65	BRS	289	(((((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath)) and core and sheath) not ((((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))) and filament)	EPO; JPO; DERWENT
66	BRS	0	(((((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath)) and core and sheath) not ((((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))) and filament)) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))	EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
67	BRS	0	(((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))) and (core or sheath)	EPO; JPO; DERWENT
68	BRS	850	(((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))) and (carcass or belt)) and layer	EPO; JPO; DERWENT
69	BRS	337	(((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))) and (carcass or belt)) and twist\$3	EPO; JPO; DERWENT
70	BRS	181	(((((tire or tyre) and cord and (steel or metal\$3)) not (152/451 or 57/902)) and ((steel near cord) or (metal near cord) or (metallic near cord))) not (((tire or tyre) and cord and (steel or metal\$3)) and (core or sheath))) and strand	EPO; JPO; DERWENT
71	BRS	2	"08027686"	EPO; JPO; DERWENT
72	BRS	2	"09137392"	EPO; JPO; DERWENT
73	BRS	2	"10298879"	EPO; JPO; DERWENT
74	BRS	2	"05186975"	EPO; JPO; DERWENT
75	BRS	1	"3516220"	EPO; JPO; DERWENT
76	BRS	1994	cord and (steel or metal or metallic) and (sheath or core)	EPO; JPO; DERWENT
77	BRS	1603	(cord and (steel or metal or metallic) and (sheath or core)) not (bead adj core)	EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
78	BRS	211	57/902	EPO; JPO; DERWENT
79	BRS	54	152/451	EPO; JPO; DERWENT
80	BRS	263	57/902 or 152/451	EPO; JPO; DERWENT
81	BRS	1572	((cord and (steel or metal or metallic) and (sheath or core)) not (bead adj core)) not (57/902 or 152/451)	EPO; JPO; DERWENT
82	BRS	2	"08027686"	EPO; JPO; DERWENT
83	BRS	2	"09137392"	EPO; JPO; DERWENT
84	BRS	48	(wire adj rope) and tire	EPO; JPO; DERWENT
85	BRS	3	(wire adj rope) near tire	USPAT
86	BRS	1	"62021888"	EPO; JPO; DERWENT
87	BRS	1	"59020796"	EPO; JPO; DERWENT
88	BRS	1	"62021888"	EPO; JPO; DERWENT
89	BRS	116	conveyor and (tensile adj strength) and (steel or metal or metallic)	EPO; JPO; DERWENT
90	BRS	3	(wrapping adj filament) and conveyor and (steel or metal or metallic)	EPO; JPO; DERWENT
91	BRS	16	(wrapping adj filament) and conveyor and (steel or metal or metallic)	USPAT
92	BRS	29	(wrapping adj wire) and conveyor and (steel or metal or metallic)	USPAT
93	BRS	1	(wrapping adj wire) and conveyor and (steel or metal or metallic)	EPO; JPO; DERWENT
94	BRS	21	("3032963"   "3336744"   "3625272"   "3726078"   "3950590"   "4158946"   "4263957"   "4349062"   "4488587"   "4628683"   "4721498"   "4724663"   "4749016"   "4962803"   "5050657"   "5211609"   "5473878"   "5502960"   "5759316"   "5772808"   "5802829").PN.	USPAT
95	BRS	79	(sheath) and twisting and direction and cord	EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
96	BRS	2	(sheath) and twisting and direction and cord and conveyor	EPO; JPO; DERWENT
97	BRS	26	(sheath) and twisting and direction and cord and conveyor	USPAT
98	BRS	228	152/542	USPAT
99	BRS	391	152/543	USPAT
100	BRS	481	152/542 or 152/543	USPAT
101	BRS	74	(152/542 or 152/543) and (heavy adj duty)	USPAT
102	BRS	124	(tire or tyre) and flange and curvature	EPO; JPO; DERWENT
103	BRS	0	"124" and (flange near curvature)	EPO; JPO; DERWENT
104	BRS	6	((tire or tyre) and flange and curvature) and (flange near curvature)	EPO; JPO; DERWENT
105	BRS	13	tire and (flange near curvature)	USPAT
106	BRS	8566	kubota	USPAT
107	BRS	88	kubota and tire	USPAT
108	BRS	1	"59020703"	EPO; JPO; DERWENT
109	BRS	0	"40202339"	EPO; JPO; DERWENT
110	BRS	2	"04202339"	EPO; JPO; DERWENT
111	BRS	2	"50156561"	EPO; JPO; DERWENT
112	BRS	1	"52085203"	EPO; JPO; DERWENT
113	BRS	2	"61073405"	EPO; JPO; DERWENT
114	BRS	1	"06193303"	EPO; JPO; DERWENT
115	BRS	4558	(one near piece) and liner	USPAT
116	BRS	12216	(one near piece).ab.	USPAT
117	BRS	57	((one near piece).ab.) and liner and pipe	USPAT
118	BRS	304	(coupler or modifier or (coupling adj agent)) and sulfur and productive	USPAT

	Type	Hits	Search Text	DBs
119	BRS	209	((coupler or modifier or (coupling adj agent)) and sulfur and productive) and tire	USPAT
120	BRS	2631	benzenesulfonamide	USPAT
121	BRS	277	benzenesulfonamide and rubber	USPAT
122	BRS	2	(benzenesulfonamide and rubber) and productive	USPAT
123	BRS	205	(benzenesulfonamide and rubber) and dimethyl	USPAT
124	BRS	0	4877901.URPN.	USPAT
125	BRS	6	("3400152"   "3856762"   "3898205"   "3898206"   "3904664"   "3915907").PN.	USPAT
126	BRS	359	polymeric adj polysulfide	USPAT
127	BRS	307	(polymeric adj polysulfide) and tire	USPAT
128	BRS	4	((polymeric adj polysulfide) and tire) and (polymeric adj sulfur)	USPAT
129	BRS	7	tread and (polymeric adj sulfur)	USPAT
130	BRS	0	6319993.URPN.	USPAT
131	BRS	16	("2989513"   "3259598"   "3264239"   "3354131"   "3373146"   "3438951"   "3466179"   "3523926"   "3544492"   "4190460"   "4739036"   "4792589"   "4902775"   "5342900"   "5684091"   "5872188").PN.	USPAT
132	BRS	20	polymeric adj sulfur	EPO; JPO; DERWENT
133	BRS	45	insoluble adj sulfur	EPO; JPO; DERWENT
134	BRS	0	(insoluble adj sulfur) and ttread	EPO; JPO; DERWENT
135	BRS	0	(insoluble adj sulfur) and tread	EPO; JPO; DERWENT
136	BRS	3	(insoluble adj sulfur) and tire	EPO; JPO; DERWENT
137	BRS	19	(insoluble adj sulfur) and tire	USOCR
138	BRS	442	insoluble adj sulfur	USPAT
139	BRS	220	(insoluble adj sulfur) and tire	USPAT

	Type	Hits	Search Text	DBs
140	BRS	134	((insoluble adj sulfur) and tire ) and tread	USPAT
141	BRS	3	"5610240"	USPAT
142	BRS	4	"6084022"	USPAT
143	BRS	8	"3856762"	USPAT
144	BRS	154	57/218	USPAT
145	BRS	116	57/218 and (metal or steel or metallic)	USPAT
146	BRS	115	57/231	USPAT
147	BRS	613	57/902	USPAT
148	BRS	80	57/902 and sheath	USPAT
149	BRS	73	57/902 and sheath and twist\$3	USPAT
150	BRS	60	(57/902 and sheath and twist\$3) and (twist\$3 same direction)	USPAT
151	BRS	363	cord and sheath and core and twist\$3 and (filament or wire)	USPAT
152	BRS	37	(cord and sheath and core and twist\$3 and (filament or wire)) and conveyor	USPAT
153	BRS	0	polyurethane and elast9c and tire	EPO; JPO; DERWENT
154	BRS	69	polyurethane and elastic and tire	EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
111	BRS	904	152/451 or 57/902	USPAT
112	BRS	5257	(428/357 or 428/364 or 428/379) not (152/451 or 57/902)	USPAT
113	BRS	3166	((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)	USPAT
114	BRS	921	((((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)	USPAT
115	BRS	1463	((((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)	USPAT
116	BRS	548	(((((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)) and (rubber or elastomer\$2)	USPAT
117	BRS	1338	steel adj cord	USPAT
118	BRS	288	metal adj cord	USPAT
119	BRS	1525	(steel adj cord) or (metal adj cord)	USPAT
120	BRS	1515	((steel adj cord) or (metal adj cord)) not (((((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)) and (rubber or elastomer\$2))	USPAT
121	BRS	1313	((((steel adj cord) or (metal adj cord)) not (((((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)) and (rubber or elastomer\$2))) and (rubber or elastomer\$2)	USPAT

	Type	Hits	Search Text	DBs
122	BRS	813	(((((steel adj cord) or (metal adj cord)) not (((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)) and (rubber or elastomer\$2))) and (rubber or elatomer\$2)) and (filament or strand or sheath or wire)	USPAT
123	BRS	135896	428/\$.ccls.	USPAT
124	BRS	137	(((((steel adj cord) or (metal adj cord)) not (((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)) and (rubber or elastomer\$2))) and (rubber or elatomer\$2)) and (filament or strand or sheath or wire)) and 428/\$.ccls.	USPAT
125	BRS	26623	152/\$.ccls.	USPAT
126	BRS	438	(((((steel adj cord) or (metal adj cord)) not (((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)) and (rubber or elastomer\$2))) and (rubber or elatomer\$2)) and (filament or strand or sheath or wire)) and 152/\$.ccls.	USPAT

	Type	Hits	Search Text	DBs
127	BRS	365	(((((steel adj cord) or (metal adj cord)) not (((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)) and (rubber or elastomer\$2))) and (rubber or elatomer\$2)) and (filament or strand or sheath or wire)) and 152/\$.ccls.) not ((((((steel adj cord) or (metal adj cord)) not (((428/357 or 428/364 or 428/379) not (152/451 or 57/902)) and (steel or metal or metallic)) and (cord or filament or sheath or strand)) and (rubber or elastomer\$2))) and (rubber or elatomer\$2)) and (filament or strand or sheath or wire)) and 428/\$.ccls.)	USPAT
128	BRS	0	tire and ultraviolut and fluorescent	USPAT
129	BRS	118	tire and ultraviolet and fluorescent	USPAT
130	BRS	4739	(metal adj cord) or (steel adj cord)	EPO; JPO; DERWENT
131	BRS	4084	((metal adj cord) or (steel adj cord)) and (tire or tyre or rubber or elastomer\$2)	EPO; JPO; DERWENT
132	BRS	1682	((metal adj cord) or (steel adj cord)) and (tire or tyre or rubber or elastomer\$2)) and (sheath or strand or wire or filament)	EPO; JPO; DERWENT
133	BRS	1682	((metal adj cord) or (steel adj cord)) and (tire or tyre or rubber or elastomer\$2)) and (sheath or strand or wire or filament)	EPO; JPO; DERWENT
134	BRS	6000	morgan	EPO; JPO; DERWENT
135	BRS	30	morgan and cord	EPO; JPO; DERWENT
136	BRS	3066	d07b001/06	EPO; JPO; DERWENT
137	BRS	2422	d07b001/06 and (metal\$2 or steel)	EPO; JPO; DERWENT
138	BRS	2323	(d07b001/06 and (metal\$2 or steel)) and (core or sheath or filament or wire or cord)	EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
139	BRS	1862	((d07b001/06 and (metal\$2 or steel)) and (core or sheath or filament or wire or cord)) and (rubber or tire or tyre or elastomer\$2)	EPO; JPO; DERWENT
140	BRS	63	152/451	EPO; JPO; DERWENT
141	BRS	240	57/902	EPO; JPO; DERWENT
142	BRS	301	152/451 or 57/902	EPO; JPO; DERWENT
143	BRS	1795	((((d07b001/06 and (metal\$2 or steel)) and (core or sheath or filament or wire or cord)) and (rubber or tire or tyre or elastomer\$2)) not (152/451 or 57/902)	EPO; JPO; DERWENT
144	BRS	3	"5461850"	USPAT
145	BRS	3	"5461850"	USPAT
146	BRS	9	("2567300"   "2792868"   "3240570"   "3413799"   "3555789"   "3922841"   "4498282"   "4947636"   "4947638") .PN.	USPAT
147	BRS	2	5461850.URPN.	USPAT
148	BRS	1	"6272830"	USPAT
149	BRS	21	("3032963"   "3336744"   "3625272"   "3726078"   "3950590"   "4158946"   "4263957"   "4349062"   "4488587"   "4628683"   "4721498"   "4724663"   "4749016"   "4962803"   "5050657"   "5211609"   "5473878"   "5502960"   "5759316"   "5772808"   "5802829") .PN.	USPAT